MARRA et al. Appl. No. unknown July 18, 2006

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-14 (Cancelled)

- 15. (New) Lamp having a supporting structure comprising a plurality of rigid arms disposed in succession so as to form a circular or a polygonal spiral, each arm being joined to the adjacent ones at respective ends by a joint consisting of a cylindrical hinge provided with an adjustable braking moment, so as to allow the raising and the lowering of the lamp from a flat configuration to a raised or extended configuration and to keep the supporting structure still in a desired position.
- 16. (New) Lamp according to claim 15, wherein said spiral is circular, having a curvature radius progressively decreasing from a periphery of the structure.
- 17. (New) Lamp according to claim 15, wherein the spiral is a triangular, square, pentagonal or hexagonal.
- 18. (New) Lamp according to claim 16, wherein the orthogonal section of each arm is circular with a constant radius along the development of the spiral.

MARRA et al. Appl. No. unknown July 18, 2006

19. (New) Lamp according to claim 16, wherein the orthogonal section of each arm is circular with a decreasing radius along the development of the spiral.

20. (New) Lamp according to claim 17, wherein the orthogonal section of each arm is elliptical having a degree of eccentricity so as to produce an oblique section, at the ends of each arms, having a circular shape.

21. (New) Lamp according to claim 15, wherein each arm is hollow, so as to allow the passage of electrical wires and/or optical fibres.

22. (New) Lamp according to claim 15, having a light source at the inner end of the spiral supporting structure.

23. (New) Lamp according to claim 22, wherein the light source comprises at least one light bulb and/or one light emitting diode.

MARRA et al. Appl. No. unknown July 18, 2006

24. (New) Lamp according to claim 15, comprising a bracket, for securing the supporting structure to a wall or to a ceiling, or a basement for resting the supporting structure on a table or on the floor.